


Kształtowniki precyzyjne
Precision tubes



Kształtowniki zamknięte owalne precyzyjne
Cold-formed hollow sections - oval

EN 10305-5



| Wymiar / Dimension [mm] | Masa - Weight [kg/m] | | | | | |
|----------------------------|---|------|------|------|------|------|
| | Grubość ścianki - Wall Thickness s [mm] | | | | | |
| | 0,8 | 1,0 | 1,2 | 1,5 | 2,0 | 2,5 |
| 24 x 12 | 0,37 | 0,46 | 0,55 | 0,67 | | |
| 25 x 15 | 0,41 | 0,50 | 0,60 | 0,73 | 0,96 | |
| 30 x 15 | 0,47 | 0,58 | 0,69 | 0,85 | 1,11 | |
| 32 x 14 | 0,49 | 0,60 | 0,72 | 0,89 | 1,16 | |
| 35 x 20 | 0,57 | 0,70 | 0,84 | 1,04 | 1,36 | |
| 40 x 20 | | 0,78 | 0,93 | 1,16 | 1,52 | |
| 40 x 30 | | 0,87 | 1,04 | 1,29 | 1,70 | |
| 44 x 20 | | 0,85 | 1,01 | 1,25 | 1,64 | |
| 45 x 17 | | | 1,00 | 1,23 | 1,62 | 1,99 |
| 50 x 30 | | | 1,23 | 1,53 | 2,01 | 2,48 |
| 52 x 35 | | 1,11 | 1,32 | 1,64 | 2,16 | 2,67 |
| 60 x 20 | | 1,10 | 1,31 | 1,63 | 2,14 | 2,65 |
| 60 x 30 | | | | 1,76 | 2,32 | 2,87 |
| 65 x 25 | | | | 1,81 | 2,39 | 2,96 |
| 70 x 8 | | | 1,37 | 1,70 | | |

